# SAFETY DATA SHEET

## 1. Identification

**Product identifier KLEEN SURF CLEANER** INDUSTRIAL CLEANER

Other means of identification

SDS number Not applicable

INDUSTRIAL CLEANER Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name DOALL SAWING PRODUCTS

> A DOALL COMPANY 2375 Toughy Avenue Elk Grove Village, IL 60007 888-362-5572, Ext 65047

Telephone (General

Information)

**Emergency telephone** 

number

**Emergency telephone** number (outside USA) 1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

**Physical hazards** Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 narcotic effects

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation. May cause drowsiness or dizziness.

**Precautionary statement** 

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Avoid release to the environment.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical Response

advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a poison center/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Get medical advice/attention if you feel unwell. Take off immediately all

contaminated clothing and wash it before reuse.

Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place. Store away Storage

from incompatible materials. Store in accordance with local/regional/national/international

regulation.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: KLEEN SURF CLEANER SDS US 

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ISOPROPYL ALCOHOL		67-63-0	10 - 30
Other components below reportable		60 - 100	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Inhalation

Get medical attention if symptoms occur.

Skin contact Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing

before reuse.

Immediately flush eves with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. Drink 1 or 2 glasses of water. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

May cause drowsiness or dizziness. Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

skin

## 5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that Suitable extinguishing media

During fire, gases hazardous to health may be formed.

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Not applicable, non-combustible,

Fire fighting equipment/instructions

Specific methods

containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Move

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk, Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Prevent product from entering drains. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Do not flush spill to drain. For waste disposal, see section 13 of the SDS.

Material name: KLEEN SURF CLEANER 

#### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Contact local authorities in case of spillage to drain/aquatic environment.

## 7. Handling and storage

#### Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not ingest. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material on clothing. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Use only in well-ventilated areas. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash thoroughly after handling. Wash contaminated clothing before reuse. Practice good housekeeping. Handle and open container with care. Do not empty into drains.

## Conditions for safe storage, including any incompatibilities

To maintain product quality, do not store in heat or direct sunlight. Use care in handling/storage. Keep containers closed when not in use. Keep away from food, drink and animal feedingstuffs. Store away from incompatible materials (see Section 10 of the SDS). Store in a well-ventilated place. Room temperature - normal conditions. Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

# 8. Exposure controls/personal protection

## Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

	Туре	Value	
ISOPROPYL ALCOHOL (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
	Туре	Value	
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	1225 mg/m3	
,		500 ppm	
	TWA	980 mg/m3	
		400 ppm	
<b>US. ACGIH Threshold Limit Valu</b>	es		
	Туре	Value	
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	

## Appropriate engineering controls

Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Use protective gloves made of: Nitrile. Hand protection Other Wear suitable protective clothing and gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

## 9. Physical and chemical properties

**CLEAR Appearance Physical state** Liquid. Liquid. **Form** 

Color Not available. Chemical Odor **Odor threshold** Not available.

9.7 pН

< 32 °F (< 0 °C) Melting point/freezing point > 212 °F (> 100 °C) Initial boiling point and boiling

range

Not Applicable Flash point

Like water when diluted **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Not available.

Not available. Vapor density Relative density Not available.

100 % Water Miscible Solubility(ies)

**Partition coefficient** 

(n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

8.8 @ 5% pH in aqueous solution Specific gravity 0.98 15 % VOC ASTM D2369

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Avoid contact with oxidizers or reducing agents. Strong acids. Strong oxidizing substances.

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

**Hazardous decomposition** 

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

## Information on likely routes of exposure

May cause drowsiness and dizziness. Prolonged inhalation may be harmful. Inhalation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin contact

Causes serious eye irritation. Eye contact

May be harmful if swallowed. Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. May cause drowsiness and dizziness.

#### Information on toxicological effects

**Acute toxicity** Narcotic effects. May be harmful if swallowed. Expected to be a low hazard for usual industrial or

commercial handling by trained personnel.

Components Species Test Results

ISOPROPYL ALCOHOL (CAS 67-63-0)

**Acute**Dermal

LD50 Rabbit 12800 mg/kg

Oral

LD50 Dog 4797 mg/kg

 Mouse
 3600 mg/kg

 Rabbit
 5.03 g/kg

 Rat
 4.7 g/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. Defatting, drying and cracking of skin.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be harmful if swallowed and enters airways.

Chronic effects Prolonged exposure may cause chronic effects.

**Further information** Symptoms may be delayed.

#### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

ISOPROPYL ALCOHOL (CAS 67-63-0)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ISOPROPYL ALCOHOL 0.05

**Mobility in soil** This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Consult authorities before disposal. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

## 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not established.

the IBC Code

# 15. Regulatory information

**US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311

and 312 if specific threshold criteria are met or exceeded.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

Product is a hazardous substance as defined under the OSHA Hazard Communication Standard **US state regulations** 

and may be reportable under the provisions of SARA Sections 311 and 312.

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

Material name: KLEEN SURF CLEANER 

#### **US. Massachusetts RTK - Substance List**

ISOPROPYL ALCOHOL (CAS 67-63-0)

#### US. New Jersey Worker and Community Right-to-Know Act

ISOPROPYL ALCOHOL (CAS 67-63-0)

## US. Pennsylvania Worker and Community Right-to-Know Law

ISOPROPYL ALCOHOL (CAS 67-63-0)

#### **US. Rhode Island RTK**

ISOPROPYL ALCOHOL (CAS 67-63-0)

**California South Coast Air Quality Management** 

This product is not subject to California's South Coast Air Quality Management District Rule 1144

(Rule only applicable to Metalworking Fluids, Vanishing Oils and Rust Inhibitors).

District (SCAQMD) Rule 1144 (VOC Emissions)

## **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

# US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

NITRILOTRIACETIC ACID (CAS 139-13-9) Listed: January 1, 1988

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

03-24-2015 Issue date 04-28-2015 **Revision date** 

Version # 02

**Further information** Not available.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision Information** Physical & Chemical Properties: Multiple Properties

SDS US Material name: KLEEN SURF CLEANER 7/7